

IN THE CLAIMS:

Please amend claims 28, 41 and 54 and add new claims 55-57 as follows.

Claims 1-27. (Cancelled)

28. (Currently Amended) A method of providing a profile to a mobile terminal,
the method comprising:

determining at least one capability of a mobile terminal;

allocating a profile to a specific event;

detecting an association of a the mobile terminal with said event; and

transmitting said profile to said mobile terminal.

29. (Previously Presented) A method according to claim 28, wherein said profile
includes a collection of user settings or preferences.

30. (Previously Presented) A method according to claim 28, wherein said profile
includes user manageable settings.

31. (Previously Presented) A method according to claim 28 wherein said profile
includes a custom or event specific profile package.

32. (Previously Presented) A method according to claim 28 further including installing the profile in said mobile station.

33. (Previously Presented) A method according to claim 28, wherein said event is a location dependent event, and wherein detecting an association of a mobile terminal with said event comprises detecting a location of the mobile terminal.

34. (Previously Presented) A method according to claim 33, wherein said event is further a time dependent event, and detecting an association of a mobile terminal with said event further comprises detecting the location of the mobile terminal within a predetermined time period.

35. (Previously Presented) A method according to claim 34, wherein the predetermined time period corresponds to duration of the event.

36. (Previously Presented) A method according to claim 28, further comprising removing said profile from said mobile terminal responsive to termination of said event.

37. (Previously Presented) A method according to claim 36, wherein said removing comprises transmitting a termination signal to said mobile terminal responsive to which said profile is deleted.

38. (Previously Presented) A method according to claim 37, wherein the profile is removed responsive to the mobile terminal leaving the location associated with an event.

39. (Previously Presented) A method according to claim 28 wherein the profile includes a link to event specific information.

40. (Previously Presented) A method according to claim 28 wherein the profile includes the identity of an instant community.

41. (Currently Amended) An application server configured to provide an event specific profile to at least one mobile terminal, including:

a determining unit configured to determine at least one capability of a mobile terminal;

a first communications interface configured to provide a mobile network with event specific information;

a second communications interface configured to receive details of a the mobile terminal associated with said event specific information;

and a third communications interface configured to transmit the event specific profile to the mobile terminal associated with said event specific information.

42. (Previously Presented) An application server according to claim 41, wherein said profile includes a collection of user settings or preferences.

43. (Previously Presented) An application server according to claim 41, wherein said profile includes user manageable settings.

44. (Previously Presented) An application server according to claim 41, wherein said profile includes a custom or event specific profile package.

45. (Previously Presented) An application server according to claim 41, further including installing the profile in said mobile station.

46. (Previously Presented) An application server according to claim 41, wherein the event is a location dependent event.

47. (Previously Presented) An application server according to claim 41 wherein the event is further a time dependent event.

48. (Previously Presented) An application server according to claim 41, wherein the event specific information is a geographical location.

49. (Previously Presented) An application server according to claim 41, wherein the second communications interface receives details of a mobile terminal located in said location.

50. (Previously Presented) An application server according to claim 49, wherein said details include the identity of the mobile terminal.

51. (Previously Presented) An application server according to claim 41, wherein the first and second communications interface are a fixed line communication interface.

52. (Previously Presented) An application server according to claim 41, wherein the third communication interface is a mobile wireless communication interface.

53. (Previously Presented) An application server according to claim 52, wherein the third communication interface is a GPRS or Bluetooth interface.

54. (Currently Amended) A communication system configured to provide event specific profiles to mobile terminals, comprising:

an application server associated with the event wherein the application server is configured to determine at least one capability of a mobile terminal;

a mobile communication network configured to receive event specific characteristics from the application server; and

at least one mobile terminal configured to connect to said network;

wherein the mobile network notifies the application server if the mobile terminal is associated with said event, and when responsive thereto the application server transmits the event specific profile to said mobile terminal.

55. (New) The method of claim 28, wherein the determining at least one capability of the mobile terminal comprises determining the capability of the mobile terminal to at least one of receiving a particular profile, and installing a particular profile.

56. (New) The application server of claim 41, wherein the determining unit is further configured to determine the capability of the mobile terminal to at least one of receiving a particular profile, and installing a particular profile.

57. (New) The system of claim 54, wherein the application server is further configured to determine the capability of the mobile terminal to at least one of receiving a particular profile, and installing a particular profile